


K E N T A I



CONSTRUCTION
ENGINEERING
DECORATIVE MESH

CONSTRUCTION ENGINEERING DECORATIVE MESH



Construction Engineering Decorative Mesh is a new type of building decoration material made of high-quality stainless steel, aluminum alloy, and high-strength corrosion-resistant chromium steel through special technology. Thanks to its flexibility and the natural gloss of its wires and metal lines, it is widely used in facades, curtain walls, partitions, ceilings, shelters, balconies, corridors, curtain rolls, stairways, as well as airports, stations, hotels, museums, opera houses, concert halls, office buildings, exhibition halls, shopping malls, and other high-grade interior and exterior decoration projects.

Metal building decoration mesh is non-flammable, high-strength, durable, easy to maintain, and functional, offering a vivid and strong decorative effect. It also plays an excellent role in protecting building structures while enhancing their visual appeal.

Installation is simple, fast, unique, and elegant. Under different lighting, environments, time periods, and viewing angles, its visual effect varies richly. Applied to various occasions, it highlights an elegant temperament, extraordinary personality, and noble taste.

金属编织网

ARCHITECTURAL WOVEN WIRE MESH

采用优质不锈钢、铝合金、铜等，经纬编织而成。表面经过抛光或着色处理，具有防腐蚀、防火耐高温等优势。材质、孔型、颜色、尺寸均可按需定做。尺寸最宽8米，长度不限。建筑编织网主要应用在隔断、屏风、吊顶、内外幕墙、家具橱柜、电梯内壁、栏杆等室内外装饰。

Architectural Woven Wire Mesh is produced in high grade stainless steel, aluminum alloy and copper by weave. We can manufacture by your requirement. The width is max 8 meters, the length is no limited.


Architectural Woven Wire Mesh can either allow for openness and uninterrupted sight lines, or it can obscure and seclude areas, depending on the needs of the designer.

Architectural Woven Wire Mesh is used widely for internal and external decoration as space dividers, screens, ceilings, claddings, wall coverings, facades, elevator panel, railing infill, furnitures and so on.



KTAM-1613

材质Material: Stainless Steel
径丝丝径Wrap Dia: 1mm x 3
径丝间距Wrap Pitch: 16mm
纬丝丝径Weft Dia: 1 x 4mm
纬丝间距Weft Pitch: 8mm
重量Weight: 5.2kg/m²
开孔率Open area: 40.6%
网厚Mesh thickness: 2.5mm




KTAM-5212

材质Material: Stainless Steel
径丝丝径Wrap Dia: 1.2mm x 2
径丝间距Wrap Pitch: 5mm
纬丝丝径Weft Dia: 2mm
纬丝间距Weft Pitch: 8mm
重量Weight: 9.2kg/m²
开孔率Open area: 31%
网厚Mesh thickness: 2.5mm




KTAM-1513

材质Material: Stainless Steel
径丝丝径Wrap Dia: 2.5mm
径丝间距Wrap Pitch: 8.5mm
纬丝丝径Weft Dia: 2.5mm
纬丝间距Weft Pitch: 8.5mm
重量Weight: 9.4kg/m²
开孔率Open area: 42.2%
网厚Mesh thickness: 3mm



KTAM-1580

材质Material: Stainless Steel
径丝丝径Wrap Dia:2mm
径丝间距Wrap Pitch:15mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:8mm
重量Weight:4.6kg/m²



KTAM-2515

材质Material: Stainless Steel
径丝丝径Wrap Dia:2.5mm
径丝间距Wrap Pitch:15mm
纬丝丝径Weft Dia:2.5mm
纬丝间距Weft Pitch:15mm
重量Weight:4kg/m²



KTAM-1530

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5 x 3mm
径丝间距Wrap Pitch:18mm
纬丝丝径Weft Dia:1.5 x 3mm
纬丝间距Weft Pitch:18mm
重量Weight:4.5kg/m²



KTAM-1812

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.8mm
径丝间距Wrap Pitch:12mm
纬丝丝径Weft Dia:1.8mm
纬丝间距Weft Pitch:12mm
重量Weight:3.3kg/m²



KTAM-1610

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.6 x 1.6mm
径丝间距Wrap Pitch:10mm
纬丝丝径Weft Dia:1.6 x 1.6mm
纬丝间距Weft Pitch:10mm
重量Weight:3.2kg/m²




KTAM-1830

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.8 x 3mm
径丝间距Wrap Pitch:10mm
纬丝丝径Weft Dia:1.8 x 3mm
纬丝间距Weft Pitch:10mm
重量Weight:7.3kg/m²




KTAM-1409

材质Material: Stainless Steel
径丝丝径Wrap Dia:1 x 4mm
径丝间距Wrap Pitch:9mm
纬丝丝径Weft Dia:1 x 4mm
纬丝间距Weft Pitch:9mm
重量Weight:7.15kg/m²




KTAM-3411

材质Material: Stainless Steel
径丝丝径Wrap Dia:3.4 x 1.1mm
径丝间距Wrap Pitch:6.6mm
纬丝丝径Weft Dia:3.4 x 1.1mm
纬丝间距Weft Pitch:6.6mm
重量Weight:11.55kg/m²




KTAM-1360

材质Material: Stainless Steel
径丝丝径Wrap Dia:1 x 3mm
径丝间距Wrap Pitch:6mm
纬丝丝径Weft Dia:1 x 3mm
纬丝间距Weft Pitch:6mm
重量Weight:11.7kg/m²




KTAM-2020

材质Material: Stainless Steel
径丝丝径Wrap Dia:2mm
径丝间距Wrap Pitch:8+20mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:8+20mm
重量Weight:3.62kg/m²



KTAM-1030

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5 x 3mm
径丝间距Wrap Pitch:10+30mm
纬丝丝径Weft Dia:1.5 x 3mm
纬丝间距Weft Pitch:10+30mm
重量Weight:4kg/m²




KTAM-3718

材质Material: Stainless Steel
径丝丝径Wrap Dia:1 x 3.7mm
径丝间距Wrap Pitch:6+18mm
纬丝丝径Weft Dia:1 x 3.7mm
纬丝间距Weft Pitch:6+18mm
重量Weight:11.3kg/m²




KTAM-4817

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.7mm
径丝间距Wrap Pitch:4.8mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:46mm
重量Weight:9.4kg/m²



KTAM-1510

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:8mm
纬丝丝径Weft Dia:1mm
纬丝间距Weft Pitch:4.2mm
重量Weight:3.5kg/m²




KTAM-1513

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:8mm
纬丝丝径Weft Dia:1 x 3mm
纬丝间距Weft Pitch:7mm
重量Weight:5.4kg/m²




KTAM-1252

材质Material: Stainless Steel
径丝丝径Wrap Dia:1 x 2.5mm
径丝间距Wrap Pitch:17.5mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:5mm
重量Weight:6.22kg/m²



KTAM-1224

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.2 x 2.4mm x 3
径丝间距Wrap Pitch:10mm
纬丝丝径Weft Dia:1.2 x 2.4mm x 3
纬丝间距Weft Pitch:10mm
重量Weight:13.7kg/m²



KTAM-1595

材质Material: Stainless Steel+Copper
扁条直径Flat Dia:1.5 x 9.5mm
扁条间距Flat Pitch:12.8mm
重量Weight:18.4kg/m²



KTAM-2175

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.2 x 2mm
径丝间距Wrap Pitch:17.5mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:4mm
重量Weight:7.4kg/m²




KTAM-2175B

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.2 x 2mm
径丝间距Wrap Pitch:17.5mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:4mm
重量Weight:7.4kg/m²



KTAM-1520

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:17.5mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:4mm
重量Weight:7.2kg/m²



KTAM-1410

材质Material: Stainless Steel
径丝丝径Wrap Dia:1 x 4mm
径丝间距Wrap Pitch:10mm
纬丝丝径Weft Dia:1.6mm
纬丝间距Weft Pitch:4.5mm
重量Weight:6.8kg/m²



KTAM-2512

材质Material: Stainless Steel
径丝丝径Wrap Dia:2mm
径丝间距Wrap Pitch:5mm
纬丝丝径Weft Dia:1.2 x 4mm
纬丝间距Weft Pitch:4mm
重量Weight:13.1kg/m²




KTAM-3621

材质Material: Stainless Steel
径丝丝径Wrap Dia:3mm
径丝间距Wrap Pitch:6.2mm
纬丝丝径Weft Dia:(6+12) x 1mm
纬丝间距Weft Pitch:18mm
重量Weight:17.7kg/m²




KTAM-1615

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.6mm
径丝间距Wrap Pitch:10mm
纬丝丝径Weft Dia:1.5 x 3mm
纬丝间距Weft Pitch:3mm
重量Weight:13.8kg/m²




KTAM-1717

材质Material: Stainless Steel
径丝丝径Wrap Dia:1 x 7mm
径丝间距Wrap Pitch:17mm
纬丝丝径Weft Dia:1 x 7mm
纬丝间距Weft Pitch:7mm
重量Weight:11.3kg/m²



KTAM-1690

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.6mm
径丝间距Wrap Pitch:10mm
纬丝丝径Weft Dia:1.5 x 3mm
纬丝间距Weft Pitch:9mm
重量Weight:13.8kg/m²




KTAM-7728

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.2 x 3mm
径丝间距Wrap Pitch:7+7+28mm
纬丝丝径Weft Dia:1.2 x 3mm
纬丝间距Weft Pitch:7+7+28mm
重量Weight:4kg/m²



KTAM-1540

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:4mm
纬丝丝径Weft Dia:1.2 x 2.4mm
纬丝间距Weft Pitch:20mm
重量Weight:5.5kg/m²




KTAM-1319

材质Material: Stainless Steel
径丝丝径Wrap Dia:3 x 2mm
径丝间距Wrap Pitch:13+19mm
纬丝丝径Weft Dia:3 x 2mm
纬丝间距Weft Pitch:13 +19mm
重量Weight:14.7kg/m²




KTAM-3165

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.2 x 3 +1 x 10mm
径丝间距Wrap Pitch:3+1+6.5mm
纬丝丝径Weft Dia:1.2 x 3 +1x10mm
纬丝间距Weft Pitch:3+1+6.5mm
重量Weight:6.5kg/m²




KTAM-1838

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.8 x 3.8mm
径丝间距Wrap Pitch:12+ 40mm
纬丝丝径Weft Dia:1.8 x 3.8mm
纬丝间距Weft Pitch:12+40mm
重量Weight:5kg/m²



KTAM-1530

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5 x 3mm
径丝间距Wrap Pitch:25mm
纬丝丝径Weft Dia:1.5+3.5+1.5mm
纬丝间距Weft Pitch:21mm
重量Weight:5.6kg/m²




KTAM-1520

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:5mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:2mm
重量Weight:15.5kg/m2



KTAM-1593

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:9.3mm
纬丝丝径Weft Dia:2.7x1.6mm
纬丝间距Weft Pitch:2.8mm
重量Weight:11kg/m2



KTAM-1520

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:4.8mm
纬丝丝径Weft Dia:2.5mm
纬丝间距Weft Pitch:2.5mm
重量Weight:18.7kg/m2



KTAM-2520

材质Material: Stainless Steel
径丝丝径Wrap Dia:2.5mm
径丝间距Wrap Pitch:7mm
纬丝丝径Weft Dia:2mm
纬丝间距Weft Pitch:2mm
重量Weight:18.3kg/m2



KTAM-2015

材质Material: Stainless Steel
径丝丝径Wrap Dia:2mm
径丝间距Wrap Pitch:7mm
纬丝丝径Weft Dia:1.5mm
纬丝间距Weft Pitch:1.5mm
重量Weight:12.7kg/m2



KTAM-1515

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:8mm
纬丝丝径Weft Dia:1.5mm
纬丝间距Weft Pitch:1.5mm
重量Weight:11.3kg/m2




KTAM-161152

材质Material: Stainless Steel+Copper
径丝丝径Wrap Dia:1.6 x1mm
径丝间距Wrap Pitch:5mm
纬丝丝径Weft Dia:1.5 x 2mm
纬丝间距Weft Pitch:8mm
重量Weight:12.78kg/m2



KTAM-1540

材质Material: Stainless Steel
径丝丝径Wrap Dia:15mm
径丝间距Wrap Pitch:4mm
纬丝丝径Weft Dia:1.45 x 42mm
纬丝间距Weft Pitch:7.8mm
重量Weight:12.8kg/m2



KTAM-15265

材质Material: Stainless Steel
径丝丝径Wrap Dia:1.5mm
径丝间距Wrap Pitch:26.5mm
纬丝丝径Weft Dia:1.5mm
纬丝间距Weft Pitch:1.5mm
重量Weight:10kg/m2



KENTAI DECORATIVE WIRE MESH



KTAM-2450

材质Material: Stainless Steel
绳径Cable Dia:2mm x 4
绳距Cable Pitch:50mm
杆径Rod Dia:3mm
杆距Rod Pitch:6mm
重量Weight:11.56kg/m²



KTAM-1436

材质Material: Stainless Steel
绳径Cable Dia:1mm x 4
绳距Cable Pitch:36mm
杆径Rod Dia:2mm
杆距Rod Pitch:4mm
重量Weight:7kg/m²



KTAM-1440

材质Material: Stainless Steel
绳径Cable Dia:1mm x 4
绳距Cable Pitch:40mm
杆径Rod Dia:2mm
杆距Rod Pitch:4mm
重量Weight:6.8kg/m²



KTAM-2175

材质Material: Stainless Steel
绳径Cable Dia:2mm
绳距Cable Pitch:17.5mm
杆径Rod Dia:1.5mm
杆距Rod Pitch:5mm
重量Weight:5.6kg/m²



KTAM-2150

材质Material: Stainless Steel
绳径Cable Dia:2mm
绳距Cable Pitch:17.5mm
杆径Rod Dia:1.5mm
杆距Rod Pitch:1.5mm
重量Weight:11kg/m²



KTAM-2150B

材质Material: Stainless Steel
绳径Cable Dia:2mm
绳距Cable Pitch:17.5mm
杆径Rod Dia:1.5mm
杆距Rod Pitch:1.5mm
重量Weight:11kg/m²



KTAM-1530

材质Material: Stainless Steel
绳径Cable Dia:0.75mm x 4
绳距Cable Pitch:26.4mm
杆径Rod Dia:1.5mm
杆距Rod Pitch:3mm
重量Weight:5.3kg/m²



KTAM-2380

材质Material: Stainless Steel
绳径Cable Dia:2mm x 3
绳距Cable Pitch:80mm
杆径Rod Dia:3mm
杆距Rod Pitch:10mm
重量Weight:6.6kg/m²




KTAM-2380B

材质Material: Stainless Steel
绳径Cable Dia:2mm x 3
绳距Cable Pitch:80mm
杆径Rod Dia:3mm
杆距Rod Pitch:10mm
重量Weight:6.6kg/m²



KTAM-1608

材质Material: Stainless Steel
绳径Cable Dia:2.5mm
绳距Cable Pitch:6mm
杆径Rod Dia:2.0mm
杆距Rod Pitch:8.0mm
重量Weight:8.1kg/m2




KTAM-1706

材质Material: Stainless Steel
绳径Cable Dia:1.6mm
绳距Cable Pitch:3mm
杆径Rod Dia:1.5mm
杆距Rod Pitch:6mm
重量Weight:4.5kg/m2




KTAM-4813

材质Material: Stainless Steel
绳径Cable Dia:1.5mm x 3
绳距Cable Pitch:5mm
杆径Rod Dia:2.5mm
杆距Rod Pitch:7mm
重量Weight:14.2kg/m2




KTAM-1720

材质Material: Stainless Steel
绳径Cable Dia:2mm
绳距Cable Pitch:3.5mm
杆径Rod Dia:1.5mm
杆距Rod Pitch:5mm
重量Weight:9.2kg/m2




KTAM-4014

材质Material: Stainless Steel
绳径Cable Dia:3.0mm
绳距Cable Pitch:4.0mm
杆径Rod Dia:3.0mm
杆距Rod Pitch:14mm
重量Weight:16.9kg/m2




KTAM-4525

材质Material: Stainless Steel
绳径Cable Dia:2.5mm
绳距Cable Pitch:6.0mm
杆径Rod Dia:2.0mm
杆距Rod Pitch:8.0mm
重量Weight:8kg/m2



KTAM-4250

材质Material: Stainless Steel
绳径Cable Dia:2.5mm
绳距Cable Pitch:5.0mm
杆径Rod Dia:2.0mm
杆距Rod Pitch:6.0mm
重量Weight:12.1kg/m2





金属网帘

METAL CURTAIN

金属网帘：由金属丝采用螺旋编织而成。

网帘表面可以是金属本来的颜色，也可以处理成古铜色，金色等其他金属色，可用于高级建筑的窗帘，豪华客厅的屏风装饰，星级酒店，豪华舞厅，高级办公大楼内外装饰灯，有灯光映照显现出金碧辉煌的效果。

Metal curtain: is made of metal wire, which is flexible due to its spiral knitting method. with its unique texture and variety of colors, it is widely used as curtains, partitions, and dividers decor of hotel, restaurant, ball room, and office etc. The consummate technics of color treatment brings unimaginable gradation, while combining with light, the fabric diffuses and enhances lighting without blocking views or ventilation.






KTMC-1004




KTMC-1005




KTMC-1008



KTMC-0808



KTMC-0808R



KTMC-0808G

铝钩帘

ALUMINUM CHAIN CURTAINS

采用优质铝合金材料制成，经过着色处理，具有耐腐蚀、耐高温、耐磨损、重量轻，易安装等优点。尺寸、颜色均可按需订做，宽长无限制。

铝钩帘广泛应用于隔断、屏风、吊灯等室内外装饰。

The Aluminum chain curtains goes through our special anodizing treatment, specially designed for our chains, which give them improved robustness and offers high color resistance against climatic factors, wear and rusting. Also this electrochemical process fixes the color to the aluminum chain, one of our outstanding characteristics is the wide range of colors we offer to our customers.

The length and width are all no limited.


Aluminum chain curtains is used widely for interior and exterior decoration as space dividers, partitions, ceilings, wall covering, cladding, structures and so on.



Finishes and colours

Transforming a space never had this many creative options.


Anodised



Powder coating




Suspension method




Standard

The perfect symmetry. Chain lines harmonically aligned. Suitable for most uses.



Half-drop

The intense option. Half-drop density provides higher opacity and a stronger visual impact.





玻璃夹丝网

GLASS LAMINATED WIRE MESH

采用优质不锈钢丝、钢丝、铝丝等材料编织而成。表面经过特殊着色处理，具有光泽度好、色彩丰富、重量小、款式新颖等优点。

材质、颜色、尺寸均可按需定做，最宽6米，长度不限。

金属玻璃夹丝网广泛应用于隔断屏风、吊顶、背景墙等室内装饰。


The Glass Laminated Wire Mesh is produced with high grade stainless steel wire, copper wire, aluminum wire to weave.

The surface has been specially colored and has the advantages of good gloss, rich colors, small weight, and novel style.

Material, color, and size can be customized as needed, with a maximum width of 6 meters and no limit to length.

Glass Laminated Wire Mesh is widely used in interior decoration such as partition screens, suspended ceilings, and background walls.






QB-SHB-15



QB-SBH-11B




QB-SKT-14B



QB-SBH-11C



QB-SHB-08



QB-SBH-08B



QB-JTB-10B



QB-SBH-13



QB-SLB-12




QB-ST-03B




QB-YH-07B




QB-SHT-05




TF-FK-G01




TF-FX-22




FH-SX-11YS



FH-SX-11GS



FH-SX-11



FH-SX-10



TF-LX-02



FH-SX-03G



CC-01



CC-08




CC-09




CC-11



TF-SW-06YS




TF-SW-02




BJ-HH-27




BJ-SH-25




BJ-SY-24



BJ-SSG-20



BJ-SHB-29




BJ-SHT-30



HW-KT-05



HW-HT-10



HW-BW-07




HW-TM-24



HW-JHT-13B



HW-LJ-02




HW-SSY-21



HW-LJ-19



BLS-JS-02



HW-SSY-22B



铝板网

ALUMINUM EXPANDED METAL

采用优质铝板经过冲压拉伸而成，表面经过喷塑或氧化，可呈现出不同的颜色。具有不生锈、重量小、环保可回收等优点。

材质、板厚、梗宽、网孔等均可按需定做。


铝板网广泛应用在隔断、屏风、吊顶、室内外幕墙等。

Aluminum expanded metal is made of high quality aluminum material, through expanded and stretched, the surface treatment can be powder coating, PVDF or Anodizing with different colors.

It's advantage with rust-free, light weight, environmentally friendly and recyclable.

The material, thickness, strand width and hole size all can be customized.


The aluminum expanded metal is widely used in partitions, screens, ceilings, interior and outside facade/cladding etc.




Product Code	SWD X LWD Mm	Thickness Mm	Strand Mm	Aluminum Kg/m2
ADR15750	21.5 X 62	1.50	7.50	2.85
ADR20750	21.5 X 62	2.00	7.50	3.80
ADR30750	21.5 X 62	3.00	7.50	5.70




Product Code	SWD X LWD Mm	Thickness Mm	Strand Mm	Aluminum Kg/m2
AD15220	62 X 150	1.50	22.0	3.00
AD20220	62 X 150	2.00	22.0	4.00
AD30220	62 X 150	3.00	22.0	6.00




Product Code	SWD X LWD Mm	Thickness Mm	Strand Mm	Aluminum Kg/m2
AD10350	11 X 38	1.00	3.5	1.71
AD15350	11 X 38	1.50	3.5	2.55



Product Code	SWD X LWD Mm	Thicknes sMm	Strand Mm	Aluminum Kg/m2
AD15150	35 X 225	1.50	15.0	3.50
AD20150	35 X 225	2.00	15.0	4.00




Product Code	SWD X LWD Mm	Thicknes sMm	Strand Mm	Aluminum Kg/m2
AD1575	20X62	1.5	7.5	3.0
AD2075	20X62	2.0	7.5	4.0
AD3075	20X62	3.0	7.5	6.0
AD1590	25X62	1.5	9.0	2.9
AD2090	25X62	2.0	9.0	3.9



Product Code	SWD X LWD Mm	Thickness Mm	Strand Mm	Aluminum Kg/m2
AD20250	83 X 250	2.00	25.0	3.25
AD30250	83 X 250	3.00	25.0	4.90
ADB20220	83 X 250	2.00	22.0	2.90
ADB30220	83 X 250	3.00	22.0	4.35





冲孔网 PERFORATED SHEETS

冲孔网采用优质低碳钢板、镀锌板、铝板、不锈钢板冲压而成，孔型有圆孔、方孔、三角孔、六边孔、异形孔等，孔型可以根据您的设计定制。

表面经过喷塑或者氟碳喷涂处理，可与不同场景搭配，具有良好的通透性和吸音效果。


冲孔网广泛应用在隔断、屏风、吊顶、室内外幕墙等。

Perforated sheet is made of high-quality low-carbon steel, galvanized steel, aluminum sheets, and stainless steel. The hole types include round, square, triangular, hexagonal, special-shaped holes, etc. The hole types can be customized according to your design.

The surface is powder coating or PVDF, which can be matched with different scenes and has good permeability and sound-absorbing effects.

Perforated mesh is widely used in partitions, screens, ceilings, indoor and outdoor curtain walls, etc.


We illustrate a small selection from our wide range of patterns. We can perforate almost any shape that you desire but special tooling may have to be charged for. Some of the unusual perforations tend to take longer to manufacture. Our in-house tool room allows us to produce new tools to suit your requirements. Please contact us for details.




Round 60 degree staggered pitch




Round 90 degree pitch




Round 45 degree pitch



Round floral pattern




Square 90 degree pitch



Square 60 degree staggered pitch




Square 45 degrees




Square Patterned



Round Ended Slotted end staggered



Round Ended Slotted rectangular pitch



Square ended slotted side staggered



Round ended slotted side staggered at 45 degrees




Standard Hexagonal




Diamond




Club




Cross and Round




PP062125




PP078137




PP093157




PP093250




PP098157




PP118196




PP125187




PP125250




PP157187




PP157250




PP187250




PP196275




PP196314



PP236314




PP236354




PP275393




PP314393



PP354472




PP375500



PP393511



PP415551



PP472629





PP500687









PP7501000



PP10001500









K E N T A I

HEBEI KENTAI MESH MANUFACTURE CO.,LTD

Address: Wire Mesh Industrial one,Anping,Hebei,China 053600

Mobile/Whatsapp/Wechat: +86 13315818880/15130825795

Email:info@kentemesh.com

www.kentemesh.com www.kentaimesh.com